

**DDT
MEDICAL GROUP**

DDT REHAB SUPPLY

**Medical Bed & Wheelchair & Etc
Manual & Electric Auto
For Every Budget**



**DOM 012-234 7222
www.domrehab.com**



MODEL: M25

HOSPITAL BED 1 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 55KG
Load Capacity: 150KG
Backrest Function Adjustable 0°- 85°
Dimension: 208 (L) x 96 (W) x 47 (H) cm
Mattress Material: 4cm Palm +2cm Sponge



MODEL: M15

HOSPITAL BED 2 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 55KG
Load Capacity: 150KG
Backrest Function Adjustable 0°- 80°
Footrest Function Adjustable 0°- 35°
Dimension: 203 (L) x 96 (W) x 49 (H) cm
Mattress Material: 4cm Palm +2cm Sponge
OR 6cm Sponge



MODEL: M17

HOSPITAL BED 2 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 60KG
Load Capacity: 150KG
Backrest Function Adjustable 0°- 80°
Footrest Function Adjustable (45°)- 30°
Dimension: 208 (L) x 96 (W) x 50 (H) cm
Mattress Material: 4cm Palm +2cm Sponge



MODEL: M08

HOSPITAL BED 3 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 80KG

Load Capacity: 150KG

High-Low Adjustable: 41cm-71cm

Backrest Function Adjustable 0°- 85°

Footrest Function Adjustable 0°- 25°

Dimension: 208 (L) x 96 (W) x 41-71 (H) cm

Mattress Material: 8cm Sponge



MODEL: M11

HOSPITAL BED 5 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 70KG

Load Capacity: 150KG

Left Turn and Right Turn: 0°- 45°

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 30°- (45)°

Commode and Washing Hair Function

Dimension: 208 (L) x 96 (W) x 50 (H) cm

Mattress Material: 4cm Palm +2cm Sponge



MODEL: M12

HOSPITAL BED 5 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 72KG

Load Capacity: 150KG

Left Turn and Right Turn: 0°- 50°

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 30°- (45)°

Commode and Washing Hair Function

Dimension: 208 (L) x 96 (W) x 50 (H) cm

Mattress Material: 4cm Palm +2cm Sponge



MODEL: M16

HOSPITAL BED 2 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 48KG

Foldable

Load Capacity: 150KG

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 0°- 45°

Dimension: 208 (L) x 96 (W) x 49 (H) cm

Mattress Material: 4cm Palm + 2cm Sponge
Steel Side Panels



MODEL: M24

HOSPITAL BED 2 FUNCTION MANUAL

SPECIFICATIONS:

Weight: 48KG

Load Capacity: 150KG

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 0°- 45°

Dimension: 208 (L) x 96 (W) x 49 (H) cm

Mattress Material: 4cm Palm + 2cm Sponge
Steel Side Panels



MODEL: M09

HOSPITAL BED 3 FUNCTION ELECTRICAL

SPECIFICATIONS:

Weight: 98KG

Load Capacity: 150KG

1 Year Warranty for motor only

High-Low Adjustable: 41cm-71cm

Backrest Function Adjustable 0°- 85°

Footrest Function Adjustable 0°- 25°

Dimension: 216 (L) x 96 (W) x 45-75 (H) cm

Mattress Material: 8cm Sponge



MODEL: M10

HOSPITAL BED 3 FUNCTION MANUAL + ELECTRICAL

SPECIFICATIONS:

Weight: 100KG

Load Capacity: 150KG

1 Year Warranty for motor only

High-Low Adjustable: 41cm-71cm

Backrest Function Adjustable 0°- 85°

Footrest Function Adjustable 0°- 25°

Dimension: 216 (L) x 96 (W) x 45-75 (H) cm

Mattress Material: 8cm Sponge



MODEL: M13

HOSPITAL BED 5 FUNCTION ELECTRICAL

SPECIFICATIONS:

Weight: 100KG

Load Capacity: 150KG

Left Turn and Right Turn: 0°- 45°

1 Year Warranty for motor only

High-Low Adjustable: 53cm-75cm

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 30°- (45)°

Dimension: 208 (L) x 96 (W) x 53-74 (H) cm

Mattress Material: 8cm Sponge



MODEL: M14

HOSPITAL BED 5 FUNCTION ELECTRICAL + MANUAL

SPECIFICATIONS:

Weight: 100KG

Load Capacity: 150KG

Left Turn and Right Turn: 0°- 45°

1 Year Warranty for motor only

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 30°- (45) °

Commode and Washing Hair Function

Dimension: 208 (L) x 96 (W) x 50(H) cm

Mattress Material: 8cm Sponge



MODEL: E02

HOSPITAL ICU BED 5 FUNCTION ELECTRICAL

SPECIFICATIONS:

Weight: 100KG

Load Capacity: 150KG

1 Year Warranty for motor only

High-Low Adjustable: 40cm-70cm

Backrest Function Adjustable 0°- 75°

Footrest Function Adjustable 0°- 25°

Forward and Backward Tilting: 0°-12°

Dimension: 213 (L) x 102 (W) x 47-75 (H) cm

Mattress Material: 8cm Sponge



MODEL: M18

HOSPITAL ROTATION BED 4 FUNCTION ELECTRICAL

SPECIFICATIONS:

Load Capacity: 150KG

1 Year Warranty for motor only

Height Adjustment: 43 - 72 cm

Backrest Function Adjustable 0°- 75°

Knee rest Function Adjustable: 0°- 25°

Footrest Function Adjustable 0°- 43°

Forward and Backward Tilting: 0°-15°

Dimension: 210 (L) x 98 (W) x 43 - 72 (H) cm

Mattress Material: PU 8cm Sponge



Remote Control



ELECTRIC BACKREST ADJUSTABLE SUPPORT BED SPECIFICATIONS:

Weight: 15KG

Load Capacity: 150KG

Backrest Function Adjustable 0°- 75°

Siderail Dimension: 56 (L) x 38 (H) cm

Backrest Dimension: 69 (L) x 91 (W) cm

Mattress Dimension: 192 (L) x 89 (W) x 6 (H)
cm

Backrest Mattress: 6cm Sponge High Density
Foam

Middle Section Mattress: 5cm sponge +4cm
palm

Leg Section Mattress: 6cm sponge +4cm
palm

MODEL: M31



MODEL: MC01

EXAMINATION COUCH - BLUE CRANK

SPECIFICATIONS:

Weight: 30 KG

Steel construction

Load Capacity: 150KG

Backrest Function Adjustable 0°- 65°

Upholstery with PU cover with PU foam

Dimension: 190 (L) x 60 (W) x 76 (H) cm



MODEL: MC02

EXAMINATION COUCH - BLACK RATCHET

SPECIFICATIONS:

Weight: 30 KG

Steel construction

Load Capacity: 150KG

Ratchet backrest of 10 positions

Backrest Function Adjustable 0°- 65°

Upholstery with PU cover with PU foam

Dimension: 190 (L) x 60 (W) x 76 (H) cm

ANTI BEDSORE MATTRESS

Ripple Mattress is also known as air mattress with alternating pressure in the different compartments. In fact, it helps to relieve pressure and [prevent](#) bed sores.

MODEL: AM01



1.

MODEL: AM02



2.

MODEL: AM03



3.

1.

BUBBLE RIPPLE MATTRESS

With Adjustable Pump

MATERIAL: PVC 0.3 MM

MAX USER WEIGHT: 130-150 KG

DIMENSION: 200(L) X 90(W) X 7(H)CM

2.

TUBE RIPPLE MATTRESS

With Adjustable Pump

MATERIAL: PVC 0.3 MM

MAX USER WEIGHT: 130-150 KG

DIMENSION: 190(L) X 90(W) X 7(H)CM

3.

TUBE RIPPLE MATTRESS (ADVANCE COMMODOLE HOLE)

With Adjustable Pump

MATERIAL: PVC 0.3 MM

MAX USER WEIGHT: 130-150 KG

DIMENSION: 190(L) X 90(W) X 7(H)CM

HOSPITAL IV DRIP STAND



MODEL: K01

Hospital IV Pole without Wheel

SPECIFICATIONS:

Stainless Steel Material
Attached to the hospital bed
Height adjustable from 82cm-142cm

Hospital IV Pole with Wheel

SPECIFICATIONS:

Stainless Steel Material
Height adjustable from 122cm-212cm
Designed with 4 castors for easy movement



MODEL: K03



MODEL: K09

Hospital IV Pole with Wheel and Tray

SPECIFICATIONS:

Stainless Steel Material
Height adjustable from 122cm-212cm
Supplied with extra hangers and tray
Designed with 4 castors for easy movement

ULTRALIGHT WEIGHT WHEELCHAIR

ORANGE



BLUE



BLACK



RED



MODEL: SYIV100-GSR06



Net Weight:
11 KG



Gross Weight:
13 KG



Width:
41 CM



Capacity:
100 KG

Leather Soft Armrest
Foldable Wheelchair
Rear Wheel: 16 Inches
Front Castor: 6 Inches
Powder Coated Frame
Solid Shock Absorbing Tyre

LIGHTWEIGHT WHEELCHAIR

Flip-up Armrest Wheelchair (Big wheel) - 18 Inches



Manual Brake



Flip-up Armrest

Model	SYIV100-GSR06C	Gross Weight	15 KG
Armrest	Flip-Up	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	18 Inches
Net Weight	13 KG	Front Castor	6 Inches

Flip-up Armrest Wheelchair (Small wheel) - 18 Inches



Manual Brake



Flip-up Armrest

Model	SYIV100-GSR06B	Gross Weight	15 KG
Armrest	Flip-Up	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	14 Inches
Net Weight	13 KG	Front Castor	6 Inches

LIGHTWEIGHT WHEELCHAIR

Aluminum Detachable Footrest and Armrest Wheelchair - 18 Inches



Manual Brake



Detachable
Footrest

Model	KY903L-46	Gross Weight	16 KG
Armrest	Flip Up	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	24 Inches
Net Weight	14 KG	Front Castor	8 Inches

Aluminum Detachable Footrest and Armrest Wheelchair - 16 Inches



Manual Brake



Detachable
Footrest

Model	KY903L-41	Gross Weight	16 KG
Armrest	Flip Up	Seat Width	41 CM
Capacity	100 KG	Tire Rears:	24 Inches
Net Weight	14 KG	Front Castor	8 Inches

LIGHTWEIGHT WHEELCHAIR

Hospital Standard Wheelchair - 20 Inches



Manual Brake



PU Leather

Model	809GPP01	Gross Weight	16 KG
Armrest	Fixed	Seat Width	51 CM
Capacity	100 KG	Tire Rears:	22 Inches
Net Weight	15 KG	Front Castor	8 Inches

SUPER LIGHTWEIGHT WHEELCHAIR

Aluminium Super Lightweight Wheelchair - 18 Inches



Manual Brake



Fixed Armrest


Model	KY863LAJ-20"-46	Gross Weight	14KG
Armrest	Fixed	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	20 inches
Net Weight	12 KG	Front Castor	6 Inches

COMMODE WHEELCHAIR

Standard Mesh Fabric Commode Wheelchair - 18 Inches



Manual Brake



Mesh Fabric
Cushion

Model	SYIV100-GS01	Gross Weight	19 KG
Armrest	Fixed	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	22 Inches
Net Weight	17 KG	Front Castor	6 Inches

SHOWER COMMODE WHEELCHAIR

Aluminium Shower and Commode Wheelchair - 16 Inches



Model	KY606LAY-42	Gross Weight	15 KG
Armrest	Fixed	Seat Width	42 CM
Capacity	100 KG	Tire Rears:	16 Inches
Net Weight	14 KG	Front Castor	6 Inches

HEAVY DUTY WHEELCHAIR

Heavy Duty Detachable Footrest and Armrest Wheelchair - 22 Inches



Manual Brake



Detachable
Footrest

Model	KY951B-56	Gross Weight	24 KG
Armrest	Flip Up	Seat Width	56 CM
Capacity	150 KG	Tire Rears:	24 Inches
Net Weight	22 KG	Front Castor	8 Inches

Heavy Duty Detachable Footrest and Armrest Wheelchair - 24 Inches



Manual Brake



Detachable
Footrest

Model	KY951B-60	Gross Weight	24 KG
Armrest	Flip Up	Seat Width	60 CM
Capacity	150 KG	Tire Rears:	24 Inches
Net Weight	22 KG	Front Castor	8 Inches

RECLINING WHEELCHAIR

Reclining Commode Wheelchair - 18 Inches



6 Angle Reclining



Manual Brake



6 Angle Reclining Adjustable

Model	SYIV100-GS03	Gross Weight	21 KG
Armrest	Fixed	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	22 Inches
Net Weight	18 KG	Front Castor	6 Inches

Aluminum Reclining Wheelchair - 16 inches / 18 inches



Adjustable Backrest
(0 - 180)



Manual Brake



Detachable
Footrest

Model	KY954LGC	Gross Weight	19 KG
Armrest	Detachable	Seat Width	41 CM / 46 CM
Capacity	100 KG	Tire Rears:	24 Inches
Net Weight	18 KG	Front Castor	8 Inches

TRAVELLING WHEELCHAIR

Aluminum Ultralight Traveling Wheelchair – 14 inches

Color Available:



Classic



Blue



Manual Brake



Flip Up Armrest

Model	KY9001L	Gross Weight	7.5 KG
Armrest	Flip Up	Seat Width	36 CM
Capacity	80 KG	Tire Rears:	8 Inches
Net Weight	7 KG	Front Castor	6 Inches

ELECTRIC WHEELCHAIR

Electric Power Wheelchair - 18 Inches



Anti Tripper Wheel



Fully Intelligent Controller

Model	KY123	Gross Weight	37 KG
Armrest	Flip Up	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	16 Inches
Net Weight	35 KG	Front Castor	10 Inches

ELECTRIC WHEELCHAIR

Economic Electric Detachable Footrest and Armrest Wheelchair - 16 Inches



Detachable
Footrest



Flip Up Armrest

Model	LW01301A01	Gross Weight	40 KG
Armrest	Flip Up	Seat Width	46 CM
Capacity	100 KG	Tire Rears:	16 Inches
Net Weight	39 KG	Front Castor	10 Inches

Flip Up Armrest Electric Wheelchair - 16 Inches



Flip Up Armrest




Anti Tripper
Wheel

Model	LW01301A07	Gross Weight	23 KG
Armrest	Flip Up	Seat Width	41 CM
Capacity	100 KG	Tire Rears:	12 Inches
Net Weight	24 KG	Front Castor	8 Inches

CEREBRAL PALSY WHEELCHAIR



Seat Adjustable

Adjustable Backrest
(0 - 165)

Reclining Crank



Handbrake

Adjustable Anti-
falling castor

Detachable Armrest

Adjustable and
Detachable FootrestThickened Seat
Cushion & Hip Thigh
Protection

MODEL: KY958LC-A

Net Weight:
22 KGGross Weight:
24 KGWidth:
14/16/18 InchesCapacity:
75 KG

Color: Red
Aluminium Frame
Tire Rears: 16 inches
Front Castor: 6 inches
Reclining backrest 0° - 165°
Height adjustable headrest
Detachable Armrest and Footrest
Adjustable seat and backrest angle
Adjustable width between two
cushions

TRANSFER COMMODE WHEELCHAIR



MODEL: TC-01



Net Weight:
30 KG



Gross Weight:
32 KG



Width:
18 Inches



Capacity:
130 KG

Fabric soft cushion

Material: Steel Frame

Brake Type: Foot Brake

Seat: 46cm x 40cm x 4cm

Height Adjustable Lift by foot

Seat Height Adjustable: 44cm-72cm

Can be used as a commode chair
and take a shower

ELECTRIC LIFTING HOIST



MODEL: HF-LW06201

- Capacity: 150kg
- Easy to fit and remove from someone sat in a wheelchair.
- Using the hoist will reduce the risk of back injuries to carers.
- Front 3" wheels without brake and rear 4" wheels with brake
- Height Adjustable: 75cm - 180cm (From Floor to Sling Hook)
- The legs can be opened by pedal.
- The hand controller with one function
- Made of steel frame, surface with coating
- Very convenient lift up and shift patient away from bed
- With emergency stop button and emergency drop device and backup battery
- The Sling made of quality oxford cloth and nylon, which is breathable and comfortable to use

HYDRAULIC MANUAL LIFTING HOIST



MODEL: HF-LW06101

- Standard Steel Frame, Surface with Coating
- Capacity up to 150kg
- 4" Rear Wheels with Brake
- 3" Front Wheels without Brake
- Hi/Lo Device controlled by Hydraulic Pressure system.
- The hydraulic pump provides a low-cost lifting option while allowing caregivers to easily transfer patient
- Adopt engineering grade steel, long service life, not easy to break, more secure.
- Come with rear casters lock for safety purpose.
- It is easy to handle and maintain while providing robust healthcare option.
- Ideal tool for families, medical institutions and nursing homes etc.

FEATURES

Features of Phlegm Suction Pump 9E-A:

The Aspirator phlegm is a very handy small suction unit. It is driven by an electromotive, maintenance-free diaphragm-type pump.

During operation the pump generates a vacuum within the hose system and the collection jar. Thus, sucking off secretions or fluids (e.g., By means of a suction catheter).

The fluid is gathered in the collection jar. A mechanical overflow safety (on the inner part of the collection jar lid) avoids penetration of secretion into the pump head. The final vacuum and following, the air-flow rate can be adjusted by means of the fine control and the vacuum-gauge.

PHLEGM SUCTION PUMP 9E-A:



SPECIFICATIONS:

N. W.: 4.32 Kgs

Noise: $\leq 65\text{dB}$

Input power: 90VA

Rest Time: $\geq 30\text{min}$

Pumping rate: 15L/min

Bottle volume: 1000 ml

1Year Warranty for Motor Only

Voltage: AC220V $\pm 10\%$, 50Hz $\pm 2\%$


Continuous Working Time: 15-20 Min

FEATURES

Features of Aerobika:

Trudell Medical International (TMI) Aerobika Oscillating Positive Expiratory Pressure (OPEP) Therapy System is a convenient, user-friendly device that provides clinicians and patients with a means for reliable, drug-free and natural airway clearance. Aerobika OPEP system opens up weak or collapsed airways by creating positive pressure and oscillations simultaneously, which helps move mucus to the upper airways where it can be coughed out.

Proven to reduce COPD exacerbations:



Teal colour and intensity show areas with gas distribution. Yellow circles represent areas of greatest change after 3–4 weeks of Aerobika® device use.¹

AEROBIKA MUCUS CLEARANCE DEVICE:



SPECIFICATIONS:

- Airway Clearance Device
- Increased Exercise Tolerance
- Decrease Cough frequency
- Improves Breathlessness
- Increase Exercise Tolerance
- Drug free, natural airway clearance
- Proven to assist Mucociliary clearance



MODEL: YE660D

YUWELL ARM BLOOD PRESSURE MONITOR YE660D

SPECIFICATIONS:

Pressure measurement range:

0~3mmHg (0~0.4kPa)

Pulse Rate: 40 - 200 times/min

Pressure: within ± 3 mmHg (± 0.4 kPa)

Pressure sensor: Semiconductor pressure sensor

Suitable upper-arm circumference:

22-45cm (Suitable for Regular & Large size arm)

Weight: 260g (Without Batteries)

Size: 13cm x 9.6cm x 7.5cm

YUWELL ARM BLOOD PRESSURE MONITOR YE660F

SPECIFICATIONS:

Suitable upper-arm circumference:

22-45cm (Suitable for Regular & Large size arm)

Measuring method: oscillation mensuration

Pressure measurement range:

0~300mmHg (0~40.0kPa)

Pulse rate: 40~200 times/min

Power supply: 4 AA batteries or 6V/600mA DC power

Weight: 300g (Without Batteries)

Size: 13.5cm x 9.8cm x 7.3cm



MODEL: YE660F



MODEL: 7E-A

YUWELL PORTABLE PHLEGM SUCTION PUMP 7E-A

SPECIFICATIONS:

Model: 7E-A (Without Battery)

Power supply: AC240V 50Hz

Input power: 90VA

Limit negative pressure: $\geq 75\text{kPa}$

Suction rate: $\geq 15\text{L/min}$

Noise: $\leq 65\text{dB (A)}$

Liquid storage volume: 1000mL, 1 piece

Working system: short running

Weight: 4kg

Size: 28cm x 19.6cm x 28.5cm

YUWELL RECHARGABLE PHLEGM SUCTION PUMP 7E-G

SPECIFICATIONS:

Model: 7E-G (With Battery)

Input power: 90VA

Limit negative pressure: $\geq 75\text{kPa}$

Negative pressure regulating range:
20kPa ~ limit negative pressure

Suction rate: $\geq 15\text{L/min}$

Noise: $\leq 65\text{dB (A)}$

Reservoir volume: 1000mL, 1 piece

Working system: short running

Net Weight: 6kg

Size: 37cm x 18cm x 28cm



MODEL: 7E-G



MODEL: YHT101

YUWELL INFRARED EAR THERMOMETER

SPECIFICATIONS:

Fast measurement at 1 second

Does not require probe cover

Automatic power off

Accuracy deviate less than 0.1c

Temperature unit: °C/°F

Measurement range: 34°C - 42.2 °C

Automatic power off time: 60s ±
10s

Measurement duration: ≤2s

Weight: 62g (Excluding Batteries)

Size: 14.5cm x 3.7cm x 5.7cm

YUWELL INFRARED THERMOMETER

SPECIFICATIONS:

Measuring Site: Forehead

Measurement range: 32-43 C

Temperature unit: C/F

Response time: 1 second

Auto shut off: 60 seconds

Measure distance: 0-5cm

Measuring Color Indicator

Weight: 61g (Excluding Battery)

Size: 14.8cm x 3.8cm x 4.3cm



MODEL:YT-1C



MODEL: 710

YUWELL BLOOD GLUCOSE MONITOR

SPECIFICATIONS:

Metering unit: mmol/L

Blood volume: 1 μ

Measuring time: 8 seconds

Measuring range:

1.1mmol/L~33.3mmol/L

Memory capacity: 250 test results

Automatic shut-down: 15 second

Hematocrit range: 30%~60%

Ambient temperature range:

10°C~40°C

Relative humidity range: <85%

Power: one 3.0V lithium button cell,
30mA

Size: 1.8cm (H) x 8.5cm (L) x 5.5cm
(W)

YUWELL BLOOD GLUCOSE TEST STRIPS AND LANCETS

SPECIFICATIONS:

5 electrodes

Micro capacity blood sampling -
compact and easy-to-transport
device that only requires 1 μ L of
blood to perform the test.

Rapid testing: 8s rapid detection
time.

Blood Type: Fresh Capillary Blood

Red blood cells backlog rate:

30%-60%



MODEL:Y330



MODEL: YX102

YUWELL FINGERTIP PULSE OXIMETER

SPECIFICATIONS:

Color: Black or White

Display Range of Pulse Oxygen:

0% ~ 100%

Display Range of Pulse Rate:

25bpm ~ 250bpm

Application occasion: Finger

Display Mode: LED Display

Weight: 38g (Excluding Batteries)

Size: 6cm (L) x 3.8cm (W) x 3.5cm (H)

YUWELL MESH NEBULIZER SERIES

YUWELL MESH NEBULIZER PORTABLE DIFFUSER LIQUID ASTHMA ADULT

SPECIFICATIONS:

Nebulizer rate adjustable

Small nebulizer particles

Input power: DC 3.0V (two "AA" 1.5V alkaline batteries)

Operation noise: approx. ≤50dB(A)

Max nebulizing rate: 0.2ml/min

Medication residue: ≤0.5mL

Mask: Polypropylene, non-plasticizer

Net Weight: 97g

Size: 6.2cm (L) x 4.1cm (W) x 12.5cm (H)



MODEL:M103



MODEL: 403T

YUWELL AIR- COMPRESSING NEBULIZER 403T

SPECIFICATIONS:

Power Voltage: AC230 $\pm$ 10V, 50Hz

Maximum pressure of pump:
 ≥ 0.15 MPa

Maximum nebulization rate:
 ≥ 0.2 mL/min

Flowrate of pump: ≥ 10 L/min

Noise: ≤ 65 dB (A)

Gross Weight: ≤ 1.5 kg

Size: 19.5cm x 9.8cm x 16cm

YUWELL AIR- COMPRESSING NEBULIZER 405B

SPECIFICATIONS:

Power: AC100-240V @ 50-60 Hz
(12VDC transformer)

Atmospheric Pressure: 86kPa -
106kPa (Normal working conditions)

Maximum nebulization rate:
 ≥ 0.2 mL/min

Free Air Flow: > 3.5 Liter / minute

Max Noise Level: ≤ 60 dB

Median Particle Size: 3.9 microns
($>65\%$ particles are < 5 microns)

Working System: Intermittent
Operation - working for 20 minutes
with an interval of 40 minutes

Net Weight: 220g

Size: 14.5cm (L) x 8cm (W) x 5.6cm (H)



MODEL: 405B



MODEL: SYIV-CRS7

COMMODE CHAIR WITHOUT WHEEL

SPECIFICATIONS:

Material: Stainless Steel
Capacity: 100kg
Net Weight: 5KG
Gross Weight: 7KG
Seat Weight: 40CM



MODEL: SYIV-CRS3

COMMODE CHAIR WITH WHEEL

SPECIFICATIONS:

Material: Stainless Steel
Capacity: 100kg
Net Weight: 5KG
Gross Weight: 7KG
Seat Weight: 40CM



MODEL: SYIV-CRS8

COMMODE CHAIR WITH BACKREST

SPECIFICATIONS:

Frame Material: Powder Coated Frame
Capacity: 100kg
Seat Width: 40cm
Weight: 6.5KG
Seat Weight: 40CM
Dimension: 52 (L) x 39 (W) x 61 (H) cm



MODEL: SYIV-CRS10

COMMODE CHAIR WITHOUT BACKREST

SPECIFICATIONS:

Frame Material: Powder Coated Frame
Capacity: 100kg
Seat Width: 36cm
Weight: 6.5KG
Seat Width: 36cm
Dimension: 40 (L) x 48 (W) x 40 (H) cm



MODEL: SYIV-CRS9

COMMODE CHAIR WITHOUT HANDLE

SPECIFICATIONS:

Frame Material: Powder Coated Frame
Capacity: 100kg
Seat Width: 36cm
Gross Weight: 7KG
Seat Weight: 40CM
Dimension = 36 (L) x 45 (W) x 40 (H) cm



MODEL: SYIV-W14B

SHOWER CHAIR WITHOUT BACKREST

SPECIFICATIONS:

Material: Aluminium
Net Weight: 5 Kg
Seat Width: 40cm
Height Adjustable: 40cm - 52cm
Dimension: 51 (L) x 34 (W) x 40-52 (H) cm



MODEL: KY798LQ-A

SHOWER CHAIR

SPECIFICATIONS:

Material: Aluminium
Net Weight: 6 Kg
Seat Width: 40cm
Height Adjustable: 35cm - 46cm
Dimension: 53 (L) x 34 (W) x 35-79 (H) cm



MODEL: KY606LAY-42

SHOWER CHAIR WITH WHEEL

SPECIFICATIONS:

Material: Aluminium
Capacity: 100 Kg
Net Weight: 7 Kg
Seat Width: 40cm
Seat Height: 50cm
Dimension: 55cm (L) x 50cm (W) X 85cm (H)



MODEL: MESSAGE STOOL

HEIGHT ADJUSTABLE MESSAGE STOOL

SPECIFICATIONS:

Color: Black
Material: PU leather
Weight Capacity: 100 kg
Hydraulic height adjustment
6 CM high-density cold foam cushion
360-degree rotation



Free Carry Bag



MODEL: TATTOO CHAIR

TATTOO CHAIR

SPECIFICATIONS:

Net Weight: 15KG
Material: PVC Leather
4cm Foam Thickness
Load Capacity: 150KG
With 600D Nylon Carry Bag
Dimension: 120 (L) x 56 (W) x 46 (H) cm



Free Carry Bag



MODEL: KH3104

WOODEN HEIGHT ADJUSTABLE MESSAGE BED - 3 SECTIONS

SPECIFICATION:

Colour: Black
Weight: 16KG
Material: Wooden
Load Capacity: 150KG
4cm Foam with PVC Leather
Dimension: 185 (L) x 70 (W) x 60-84 (H) cm



MODEL: MESSAGE BED

STAINLESS STEEL MESSAGE BED WITH PILLOW

SPECIFICATIONS:

Colour: Black
Pillow are included
Load Capacity: 150KG
Material: Stainless Steel
Double Ream Reinforcement
Dimension: 180 (L) x 60 (W) x 64 (H) cm



Free Carry Bag



MODEL: KH2108

ALU HEIGHT ADJUSTABLE MESSAGE BED - 2 SECTIONS

SPECIFICATION:

Colour: Black
Weight: 14KG
Material: Aluminium
Load Capacity: 150KG
4cm Foam with PVC Leather
Dimension: 185 (L) x 70 (W) x 62-87 (H) cm



Free Carry Bag



MODEL: KH2104

WOODEN HEIGHT ADJUSTABLE MESSAGE BED - 2 SECTIONS

SPECIFICATIONS:

Colour: Black
Weight: 16KG
Load Capacity: 150KG
4cm Foam with PVC Leather
High Resilience Comfortable Foam
Dimension: 185 (L) x 70 (W) x 60-84 (H) cm



Free Carry Bag



MODEL: KH3108

ALU HEIGHT ADJUSTABLE MESSAGE BED - 3 SECTIONS

SPECIFICATION:

Colour: Black
Weight: 16KG
Material: Aluminium
Load Capacity: 150KG
4cm Foam with PVC Leather
Dimension: 185 (L) x 70 (W) x 60-84 (H) cm



HOSPITAL WAITING CHAIR



3-SEATERS COATING COLD STEEL WAITING CHAIR

SPECIFICATIONS:

Color: Grey
Maximum Weight Capacity for Each Chair:
100 KG
3-Seater Measurement: 175 (L) x 65 (W) x 77 (H) cm



4-SEATERS COATING COLD STEEL WAITING CHAIR

SPECIFICATIONS:

Color: Grey
Maximum Weight Capacity for Each Chair:
100 KG
4-Seater Measurement: 230 (L) x 65 (W) x 77 (H) cm



5-SEATERS COATING COLD STEEL WAITING CHAIR

SPECIFICATIONS:

Color: Grey
Maximum Weight Capacity for Each Chair:
100 KG
5-Seater Measurement: 290 (L) x 65 (W) x 77 (H) cm



3-SEATERS PU LEATHER WAITING CHAIR

SPECIFICATION:

Color: Black
PU leather stylish and economical
Maximum Weight Capacity for Each Chair:
100 KG
3-Seater Measurement: 175 (L) x 65 (W) x 77 (H) cm



4-SEATERS PU LEATHER WAITING CHAIR

SPECIFICATION:


Color: Black
PU leather stylish and economical
Maximum Weight Capacity for Each Chair:
100 KG
4-Seater Measurement: 230 (L) x 65 (W) x 77 (H) cm



5-SEATERS PU LEATHER WAITING CHAIR

SPECIFICATION:

Color: Black
PU leather stylish and economical
Maximum Weight Capacity for Each Chair:
100 KG
5-Seater Measurement: 290 (L) x 65 (W) x 77 (H) cm



MODEL: KH-WA01

FOREARM CRUTCHES

SPECIFICATIONS:

Weight: 2kg
Maximum load: 110 kg
Rubber Handle Armrest
Material: Stainless Steel
Height adjustable: 72-85 cm
Dimension: 55 (L) x 44 (W) x 73 (L) cm



MODEL: KH-WA05

UNDERARM CRUTCHES

SPECIFICATIONS:

Material: Aluminum
Underarm mat: 190mm
Non-slip rubber stopper
Net Weight: 0.5kg per piece
Height Adjustable: 112cm - 135cm



MODEL: SYIV-CRS11

WALKER WITH WHEEL

SPECIFICATIONS:

Weight: 3.5KG
Load Capacity: 130KG
Material: Stainless Steel
Cushion Seat: 41cm x 26cm
Height Adjustable from 77cm to 87cm
6 Levels Height Adjustable Setting Button



MODEL: KH-WA06/07

1 OR 2 BARS WALKING FRAME

SPECIFICATIONS:

Weight: 2kg
Maximum load: 110 kg
Rubber Handle Armrest
Material: Stainless Steel
Height adjustable: 72-85 cm
Dimension: 55 (L) x 44 (W) x 73 (L) cm



Foldable

MODEL: SYIV-T1

ROLLATOR WALKER WITH BASKET

SPECIFICATIONS:

Frame: Aluminum
Net Weight: 8 kg
Gross Weight: 9 kg
Weight Capacity: 100 kg
Seat Width: 40cm
Dimension: 52 (L) x 67 (W) x 85 (H) cm



Height Adjustable

MODEL: SYIV-W5

CHILDREN REVERSE WALKER ROLLATOR

SPECIFICATIONS:

Material: Aluminum
Capacity: 50 Kg
Net Weight: 2 Kg
Gross weight: 3 Kg
Handle Height: 60cm - 76cm
Dimension: 52 (L) x 95 (W) x 60-76 (H) cm



MODEL: SYIV-W8

UNDERARM WALKING AIDS

SPECIFICATION:

Net Weight: 16kg
Gross weight: 18kg
Weight Capacity: 100kg
Armpit width: 30-45cm
Waist width: 45cm
Frame material: Chrome Steel



Foldable

MODEL: SYIV-CRS13

4 LEGS CANE WITH LEATHER SEAT

SPECIFICATION:

Weight: 1.25KG
Material: Stainless Steel
Lightweight and foldable
Seat Load Capacity: 120KG
25cm Diameter Leather Seat
4 Legs base design with non-slip rubber



Foldable

MODEL: SYIV-CRS12

3 LEGS CANE WITH ABS SEAT

SPECIFICATION:

Weight: 1KG
Material: Stainless Steel
Lightweight and foldable
Seat Load Capacity: 80KG
22cm Diameter ABS Seat
3 Legs base design with non-slip rubber



Height
Adjustable

MODEL: SYIV-C6

QUAD CANE SMALL BASE

SPECIFICATIONS:

Weight: 1KG
Load Capacity: 130KG
Material: Aluminium Alloy
Small Base: 20cm x 16cm
Height Adjustable: 69cm-92cm
10 Levels Height Adjustable Setting Button



Foldable



Height
Adjustable

MODEL: SYIV-C14

FOLDABLE WALKING STICK

SPECIFICATION:

Weight: 0.8KG
Load Capacity: 130KG
Non-slip rubber Leg Base
Material: Aluminium Alloy
Height Adjustable: 82cm-92cm
5 Levels Height Adjustable Setting Button



MODEL: T-E1

OVERBED TABLE WITH WHEEL**SPECIFICATIONS:**

Steel chrome leg and frame
Adjustable height: (70-100) cm
Dimension: 60(L) x 40(W) x 70-100(H) cm



MODEL: T-E2

HYDRAULIC OVERBED TABLE WITH WHEEL
SPECIFICATIONS:

Steel chrome leg and frame
Adjust height automatically
Adjustable height: (80-110) cm
Dimension: 78(L) x 40(W) x 80-110(H) cm



MODEL: T-E5

DINING BOARD (PLASTIC / WOOD)**SPECIFICATIONS:**

Stable in putting on top of the siderail of hospital bed
Dimension of Wood Dining Table: 97(L) x 30(W) x 2(H) cm
Dimension of Plastic Dining Table: 103(L) x 30(W) x 3(H) cm

INSTRUMENT TROLLEY / BEDSIDE CABINET / WARD SCREEN



MODEL: 2T TROLLEY

INSTRUMENT TROLLEY 2 TIER**SPECIFICATIONS:**

Material: Stainless Steel
Rotating castor trolley easily to push and work.
Dimension: 86 (H) x 40 (W) x 60 (L) cm OR 86 (H) x 44 (W) x 66 (L) cm



MODEL: 3T TROLLEY

INSTRUMENT TROLLEY 3 TIER**SPECIFICATIONS:**

Material: Stainless Steel
Rotating castor trolley easily to push and work.
Dimension: 86 (H) x 40 (W) x 60 (L) cm OR 86 (H) x 44 (W) x 66 (L) cm



MODEL: CABINET WITH WHEEL

HOSPITAL 3 TIER BEDSIDE CABINET WITH WHEEL**SPECIFICATIONS:**

Material: ABS Plastic
Dimension: 45cm (L) x 42cm (W) x 78cm (H)



MODEL: CABINET WITHOUT WHEEL

HOSPITAL 3 TIER BEDSIDE CABINET WITHOUT WHEEL**SPECIFICATIONS:**

Material: ABS Plastic
Dimension: 45cm (L) x 42cm (W) x 78cm (H)



MODEL: 3F WARD SCREEN

HOSPITAL WARD SCREEN WITH BLUE CURTAIN - 3-FOLD**SPECIFICATIONS:**

Material: Stainless Steel 0.6mm
Each folding blue curtain 50cm
3-Fold: 150 (L) x 50 (W) x 180 (H) cm



MODEL: 4F WARD SCREEN

HOSPITAL WARD SCREEN WITH BLUE CURTAIN - 4-FOLD**SPECIFICATIONS:**

Material: Stainless Steel 0.6mm
Each folding blue curtain 50cm
4-Fold: 200 (L) x 50 (W) x 180 (H) cm

HEALTH CARE PRODUCT



TURN OVER DEVICE

Blue | Green | Orange

MATERIAL: PE FOAM 10CM + PU LEATHER

ELDERLY SECURELY LIFT ASSISTS: CHANGE THE POSITION OF ELDERS AND PATIENTS EASILY



SAFETY BED RAIL

With Storage Bag

MATERIAL: STAINLESS STEEL

PACKAGE WEIGHT: 3.75 KG

ITEM TYPE: SECURE BED RAIL

MAX LOAD CAPACITY: 150KG



BACKREST

With Handrail

MATERIAL: STAINLESS STEEL

NET WEIGHT: 2.6KG

EXTENDED SECTION: 370*370MM

ADJUSTABLE IN 6 POSITIONS




R SHAPE CUSHION

Blue

COVER: POLYESTER KNIT COVER

MATERIAL: HIGH-DENSITY SPONGE

MEASUREMENT: 50 (L) X 25 (W) X 15 (H) CM



SAFETY BELT

For Wheelchair | Bed

PAD SIZE: 48CM X 12CM

PAD MATERIAL: BREATHABLE NYLON

STRAP SIZE: 69CM (WHEELCHAIR) OR 126CM (BED)



WHEELCHAIR RAMP

3 Sizes Available

COLOUR: BLACK

SIZE A: 50CM X 22CM X 5CM

SIZE B: 50CM X 27CM X 9CM

SIZE C: 25CM X 40CM X 16CM



PVC MATTRESS

4 CM SPONGE | 8 CM SPONGE

MATERIAL: PVC

SIZE: APPROXIMATELY 190CM (L), 90CM (W), 4CM OR 8CM (H)

MEDICAL GRADE MATERIAL

COMES WITH WATER RESISTANT AND DURABLE



PVC MATTRESS

COMMODE | 8 CM SPONGE

MATERIAL: PVC

SIZE: APPROXIMATELY 190CM (L), 90CM (W), 8CM (H)

MEDICAL GRADE MATERIAL

COMES WITH WATER RESISTANT AND DURABLE



PU MATTRESS

8 CM SPONGE

MATERIAL: PU LEATHER

SIZE: APPROXIMATELY 190CM (L), 90CM (W), 8CM (H)

MEDICAL GRADE MATERIAL

COMES WITH WATERPROOF AND DURABLE

HEALTH CARE PRODUCT



BLOOD PRESSURE SET

Heart Beat Monitor with Arm Cuff

BRAND: OUSON CARE

MEMORY: 99 X 2 USERS

AUTOMATIC POWER-OFF: 30 SEC INACTIVITY

RATED VOLTAGE: DC6V (4*AA BATTERIES),
USB 5V ADAPTER.



BLOOD PRESSURE UPPER ARM CUFF

MATERIAL: NYLON+MEDICAL RUBBER

SIZE: 22-48CM (8.66" - 18.96")

**SUITABLE FOR ARM TYPE AUTOMATIC
ELECTRONIC SPHYGMOMANOMETER**



BLOOD PRESSURE UPPER ARM CUFF

MATERIAL: NYLON+MEDICAL RUBBER

SIZE: 22-52CM (8.66" - 20.47")

**SUITABLE FOR ARM TYPE AUTOMATIC
ELECTRONIC SPHYGMOMANOMETER**



MECHANICAL SCALE

Weight | Height

BODY WEIGHING MAXIMUM WEIGHT: 160KG



WASHABLE UNDERPAD

SIZE:

40 X 45 CM

60 X 90 CM

90 X 100 CM


90 X 100 CM

**DDT
MEDICAL GROUP**

JUTABROS WORLD SDN BHD

**NO 6 LINTANG SUNGAI KERAMAT 2B,
TAMAN KLANG UTAMA, 42100 KLANG,
SELANGOR**

THANK YOU



**DOM 012-234 7222
www.domrehab.com**